

Reduced Travel Unit


Easy to add on. No drilling into door.



Las instrucciones en español comienzan en la página 6

La traduction française est sur la page 10


INSTALLATION/MAINTENANCE INSTRUCTIONS For full view and half view sizes.



The frame should fit snugly over the entire window frame against the door. Look for anything that will prevent a flush fit or keep the treatment from functioning. Set the assembly down, standing it upright.

DOOR HARDWARE INTERFERENCE


If your door hardware is located close to your door glass frame, you could encounter interference with the fit of your Enclosed Treatment Unit. To avoid this interference simply remove the filler strip located on that side of the Enclosed Treatment frame. This will allow the escutcheon plate on your door hardware to slip underneath the Enclosed Treatment frame. If the tabs on the frame (used to hold the filler strip on the frame) are in the way, you can simply clip them off with pliers.




If you have a lever door handle and the handle extends over your door glass / door glass frame, the Enclosed Treatment unit may not fit. This interference issue is common with lever arm handles and window treatments. In order to make the Enclosed Treatment unit fit you will either have to change your door knob so that it does not extend over the door glass frame, or purchase a lever door handle extender.

2 LOOSEN SCREWS AND INSERT SPACERS

Loosen frame screws at the top and bottom corners (some snap frame windows do not have screws). If the screws on your window have plugs over them and do not easily come out, use a wood screw and turn it into the plug. Turn the wood screw into the plug until it comes out. Push spacers in behind the lower corners of the frame, (approximately 14" up from the bottom for the 36" unit, 11 1/2" up from the bottom for the 64" unit) until tab is flush with the frame. Tighten bottom screws.






TOP BRACKETS

Slide left and right top brackets behind the door frame on each top corner until the wings at the top and outside end are flush against the frame. Tighten the top screws.

4

CLEAN


Stand treatment upright. Fully raise the treatment. Clean the inside glass of the treatment assembly and the window on the door.




HANG

5

Carefully lift and securely hang the top of the treatment assembly over the top brackets. Angle the lower unit towards you while you slide it on. Be certain the brackets are in the slots at the top, inside edge of the treatment frame. Move side to side to verify the unit is square and secure.





6


LOCK CLIPS

Press the bottom corners of the treatment assembly against the door and swing the lock clips in behind the window frame. They should snap in easily and stay in place.


7

SECURE

Check top, bottom and sides of treatment frame to be sure it is flush to door. Be certain all lock clips are snug and pushed in fully.



OPERATION




OPEN/CLOSE (blind only)


Slide left hand tab up or down to tilt the treatment.

> RAISE/LOWER Slide right hand tab up and down to raise and lower the blind/shade.

MAINTAIN

- Frame can be washed with soap and water. Glass can be cleaned with a quality window cleaner.
- Frame can be painted with acrylic latex enamel paint.
- To remove treatment from door, reverse installation steps in this guide.
- For best performance, shades should not be left in raised position for extended periods of time and should be excercised - raised and lowered on a regular basis to prolong fabric life.





PREVENTING CONDENSATION

Interior condensation is caused by excess humidity in your home. Enclosed Treatments do not cause condensation, but are a good indicator of humidity levels that are too high. Keep in mind that new homes release moisture from construction materials through several heating and cooling sessions. To the right is a quick guide to appropriate humidity levels: —

If your door glass has interior condensation, you should be able to control it by reducing the humidity level in your home (for example you could reduce or eliminate humidifiers). Maximum Recommended Humidity Levels (based on inside home temperature of 70 F)

F

Outside Temperature
20 F to 40 F
10 F to 20 F
0 F to 10 F
-20 F to 0 F
Below -20 F

Inside Humidity Not over 40 % Not over 30 % Not over 25 % Not over 20 % Not over 15 %

You can also help limit the potential for condensation by removing the filler strips located on the sides of your Enclosed Treatment frame (see step 1 for removal instructions). By removing these filler strips you will increase the airflow between the enclosed treatment unit and your door glass.

Condensation does not indicate a defect in an Enclosed Treatment unit and will not damage your Enclosed Treatment unit.

For assistance with enclosed treatment installation or for additional product information, call ODL customer service toll free at 1.866.ODL.4YOU (635-4968), or visit our website at www.odl.com

WARRANTY COVERAGE

Subject to the conditions, exclusions and limitations herein, ODL Incorporated ("ODL") warrants that its Aluminum Blinds and cellular shade for Steel Entry Doors products ("Product") are free from defects in material and workmanship that would render the Product unfit for its normal and recommended use. THIS WARRANTY APPLIES AND EXTENDS ONLY TO THE ORIGINAL CONSUMER PURCHASING THIS PRODUCT. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CONSUMER AND EXTENDS FOR A PERIOD OF FIVE YEARS.

EXCLUSIONS FROM COVERAGE

This warranty does not cover:

- A Product that is not installed on a plastic window frame on a steel or fiberglass entry door.
- Defects or damages resulting in failure to install or operate the Product in accordance with ODL's installation instructions.
- Defects or damages resulting from use of the Product for purposes other than those for which it was designed.
- Defects or damages resulting from modifications or attachments to the Product.
- · Glass breakage or other damage to the entry door.
- Defects or damages arising out of improper handling, cleaning, maintenance, operation, defective or improper installation (including installation not in accordance with ODL's installation instructions), improper storage, normal wear and tear, accident, act of God, intentional human acts, misuse, abuses, or any circumstances beyond the control of ODL.
- Defects or damages resulting from shipment by common carriers, private transportation or other means of transportation.

INSPECTION AND DISCOVERY OF DEFECT

It is the Consumer's responsibility to inspect the Product immediately upon receipt of the Product. If a defect covered under this warranty is discovered upon inspection, the customer must follow the Warranty Claim Procedure set forth below.

ODL shall have no obligation under this warranty with respect to any defect reasonably discoverable upon immediate inspection once the product has been installed.

If a defect occurs after installation within the warranty period, then the customer must also follow the Warranty Claim Procedure set forth as follows.

WARRANTY CLAIM PROCEDURE

- The Consumer must present a written claim to ODL within 30 days after discovering the defect. The Consumer must submit its claim to the following address: ODL Incorporated, Customer Service, 215 East Roosevelt Avenue, Zeeland, Michigan, 49464. ODL must receive this written claim within the warranty period.
- 2. The Consumer must use reasonable diligence to include all of the following in the written claim:
 - a. An adequate description of the claimed defect(s);
 - b. The type and style of Product;
 - c. Exact Product size;
- d. The date of the Consumer's purchase, the place of purchase, and the purchase price.
- 3. The Consumer must, if requested by ODL, permit ODL or its representative to inspect the Product.

REMEDIES

After receiving a valid claim, ODL will, at ODL's option either (a) repair the Product or provide a replacement Product of like kind and design, or (b) upon the return of the Product to ODL, refund the Consumer the purchase price of the Product paid by the Consumer.

If ODL elects to provide a replacement Product, the limited warranty for the replacement product will last for the balance of the warranty of the original Product.

ODL'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO EITHER (A) OR (B) ABOVE, AND ODL WILL IN NO EVENT BE RESPONSIBLE FOR SHIPPING, LABOR, REMOVAL OF ORIGINAL PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, FINISHING EXPENSES, OR OTHER CHARGES, COSTS OR CLAIMS INCURRED BY THE CONSUMER.

DISCLAIMER OF WARRANTY

NO IMPLIED WARRANTY, INCLUDING A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, SHALL APPLY TO THE PRODUCT (OR ANY REPLACEMENT) BEYOND THE DURATION OF THIS WRITTEN WARRANTY. (Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.)

LIMITATIONS OF REMEDIES

THE REMEDIES SET FORTH ABOVE ARE THE CONSUMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY OR NEGLIGENCE. IN NO CASE SHALL ODL BE LIABLE TO THE CONSUMER OR AN OTHER PERSON FOR ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. (Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.)

Unless modified in a later writing signed by both ODL and Consumer, this warranty is the complete and exclusive warranty related to the Product, and it supersedes all earlier agreements and other communications relating to the Product. No employee of ODL or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect one of the other provisions. This warranty is not transferable.

This warranty gives the Consumer specific legal rights, and the Consumer may also have other legal rights which may vary from state to state.